


# TERRAFORCE®


The original, reversible, hollow core retaining block



## L15 IT




L15 (IT) STANDARD



L15 (IT) ROCKFACE

For variations check with your local supplier.

Block	L15 IT
Blocks/m <sup>2</sup> (Measured vertically)	15
Block mass/kg (Average)	21
Block infill volume/m <sup>3</sup>	0.007
Block wall thickness mm	45
<b>Ave. constr. mass kg per m<sup>2</sup> of wall. Single Skin</b>	
When filled with topsoil of 1500kg/m <sup>3</sup>	472
When filled with gravel of 1900kg/m <sup>3</sup>	514
When filled with concrete of 2400 kg/m <sup>3</sup>	567




# TERRAFORCE®

The original, reversible, hollow core retaining block


L15 IT

## Composite Retaining Wall (Earth Reinforcement with Geogrid)




TERRAFORCE blocks have been substantially tested and analysed under field and laboratory conditions and are manufactured under licence by reputable manufacturers on five continents.


The blocks can be used as part of either a gravity system or as the fascia of a geosynthetic reinforced segmental retaining wall structure or as a fascia for a cement stabilized backfill.




LIGHT GRAVITY WALL



MASS GRAVITY WALL





COMPOSITE STRUCTURE



VERTICAL R.C. FILLED WALL

## Mass Gravity Retaining Wall



OPTIONAL R.C INFILL

# TERRAFORCE®

The original, reversible, hollow core retaining block

L15 IT



LIGHT GRAVITY RETAINING, PLANT SUPPORTIVE



NEAR VERTICAL, COMPOSITE WALL



ROUND FACE WALL, COMPLETELY COVERED WITH IVY



PLANT SUPPORTIVE - ROUND FACE



SUPPORTING A NEW DRIVEWAY



TERRACED COMPOSITE RETAINING WALL WITH FEATURE PLANTS