



TERRAFORCE®

The original, reversible, hollow core retaining block




L15

L15 STANDARD


For variations check with your local supplier.

L15 ROCKFACE

Block	L15
Blocks/m ² (Measured vertically)	15
Block mass/kg (Average)	22
Block infill volume/m ³	0.009
Block wall thickness mm	45/50
Ave. constr. mass kg per m² of wall. Single Skin	
When filled with topsoil of 1500kg/m ³	532
When filled with gravel of 1900kg/m ³	586
When filled with concrete of 2400 kg/m ³	654




Composite Retaining Wall (Earth Reinforcement with Geogrid)




TERRAFORCE blocks have been substantially tested and analysed under field and laboratory conditions and are manufactured under licence by reputable manufacturers on five continents.


The blocks can be used as part of either a gravity system or as the fascia of a geosynthetic reinforced segmental retaining wall structure or as a fascia for a cement stabilized backfill.




LIGHT GRAVITY WALL



MASS GRAVITY WALL





COMPOSITE STRUCTURE



VERTICAL R.C. FILLED WALL

Mass Gravity Retaining Wall



OPTIONAL R.C INFILL

TERRAFORCE®

The original, reversible, hollow core retaining block

L15



LIGHT GRAVITY RETAINING, PLANT SUPPORTIVE



NEAR VERTICAL, COMPOSITE WALL



ROUND FACE WALL, COMPLETELY COVERED WITH IVY



PLANT SUPPORTIVE - ROUND FACE



SUPPORTING A NEW DRIVEWAY



TERRACED COMPOSITE RETAINING WALL WITH FEATURE PLANTS